

Notice of Allowability

Application No.

09/923,332

Examiner

Christopher P Bruenjes

Applicant(s)

DEBRAAL ET AL

Art Unit

1772

eh

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the after final amendment filed May 21, 2004.
2. ☒ The allowed claim(s) is/are 1,3,5,8,9,17-21,23,25 and 26.
3. ☒ The drawings filed on 08 August 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 20040603.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Matthew Shanley on June 2, 2004.

2. The application has been amended as follows:

Claim 5) Line 15) add the phrase "forming the innermost surface of said stock material and in continuous and direct contact with said foam layer." after the word "layer" and delete the phrase "sandwiching said foam layer between said first polyethylene barrier film layer being disposed along the interior surface of the paper stock layer and said second polyethylene barrier film layer."

Claim 7) Cancel claim 7.

Claim 10) Cancel claim 10.

Art Unit: 1772

Claim 18) Lines 11 and 12) delete the phrase ", wherein said foam layer forms said innermost surface of said sleeve"

Line 13) add the word "barrier" after the word "polyethylene" and before the word "film"

Lines 14 and 15) delete the phrase "sandwiching said foam layer between said first and said second polyethylene barrier film layers." and add the phrase "forming the innermost surface of said stock material and in continuous and direct contact with said foam layer."

Claim 23) Lines 1 and 2) change the dependency of the claim from claim "1" to claim "18" and change the phrase "stock material" to the word "sleeve".

3. The following is an examiner's statement of reasons for allowance: The closest prior art Fumel et al fail to teach a heat laminated foam and teaches away from using any lamination besides adhesive lamination. Fumel et al also fails to teach a polyethylene barrier film layer in direct and continuous contact with said foam and paper layers or a polyethylene barrier film comprising the innermost layer of the insulated beverage stock material, container or sleeve, and a foam layer in direct and continuous contact with said polyethylene barrier film and paper

Art Unit: 1772

layer. Neither Geddes et al nor Neale et al when combined with Fumel et al remedy these deficiencies.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher P Bruenjes whose telephone number is 571-272-1489. The examiner can normally be reached on Monday thru Friday from 8:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 571-272-1498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.



Art Unit: 1772

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Christopher P Bruenjes
Examiner
Art Unit 1772

CPB

June 3, 2004



HAROLD PYON
SUPERVISORY PATENT EXAMINER
1772

6/3/04